

250°C HEAT RESISTANT KEVLAR  
GLOVE - 10 CM WRIST

Ref. KPG10



### Product specifications

Kevlar● Technology outside. 100% cotton lining. Gauge 7.

Exterior 100% Kevlar● (short fibres).  
100% Cotton inside.

Kevlar● is a registered trademark of DuPont de Nemours.

#### COLOUR

Yellow

#### SIZE

09

### Product Use - Risks



Heat



Cutting / Perforation



Wearing



Light industry

C.C. Bellota - Av. Guillero Dansey 510 Tienda Z1-4 Cercado de Lima  
Cel: 998 304 579 - 984 258 767 - 998 165 307 - 987 944 587

### Product's highlights & user's benefits



Knitted Kevlar● gauge 7:

- Optimal cut performance and good resistance to heat
- Excellent balance between heat resistance and dexterity



Ambidextrous  
Washable

10-cm knitted wrist :

- Better vein protection



Cut level D



Cut level 5

C.C. Bellota - Av. Guillero Dansey 510 Tienda Z1-4 Cercado de Lima  
Cel: 998 304 579 - 984 258 767 - 998 165 307 - 987 944 587

web: [www.gabicsafety.com](http://www.gabicsafety.com)  
e-mail: [ventas@gabicsafety.com](mailto:ventas@gabicsafety.com)

### Certifications and Standards



PPE DIRECTIVE EC 89/686

EN420:2003+A1:2009 General requirements

2: Dexterity (from 1 to 5)

EN388:2016



1: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

X: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)



4: Resistance to flammability (from 1 to 4)

2: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)

### References

References	Bar code	COLOUR	SIZE		
KPG1009	3295249035433	Yellow	09	36	6

C.C. Bellota - Av. Guillero Dansey 510 Tienda Z1-4 Cercado de Lima  
Cel: 998 304 579 - 984 258 767 - 998 165 307 - 987 944 587

web: [www.gabicsafety.com](http://www.gabicsafety.com)  
e-mail: [ventas@gabicsafety.com](mailto:ventas@gabicsafety.com)